




FF8-PB4CB120-4



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	5
(2) PB4	2
(1) CB120	4
TOTAL	11






· LOADING @ 2 PSI : 6000 LBS
ASSEMBLED FRAME WEIGHT: 291 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF12-PB4CB120-6



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	7
(2) PB4	3
(1) CB120	6
TOTAL	16






LOADING @ 2 PSI : 8400 LBS
ASSEMBLED FRAME WEIGHT: 419 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF16-PB4CB120-8



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	9
(2) PB4	4
(1) CB120	8
TOTAL	21






LOADING @ 2 PSI : 10800 LBS
ASSEMBLED FRAME WEIGHT: 547 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF20-PB4CB120-10



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	11
(2) PB4	5
(1) CB120	10
TOTAL	26



LOADING @ 2 PSI : 13200 LBS




ASSEMBLED FRAME WEIGHT: 675 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF24-PB4CB120-12



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	13
(2) PB4	6
(1) CB120	12
TOTAL	31






LOADING @ 2 PSI : 15600 LBS
ASSEMBLED FRAME WEIGHT: 803 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF28-PB4CB120-14



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	15
(2) PB4	7
(1) CB120	14
TOTAL	36






LOADING @ 2 PSI : 18000 LBS
ASSEMBLED FRAME WEIGHT: 931 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF32-PB4CB120-16



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	17
(2) PB4	8
(1) CB120	16
TOTAL	41





LOADING @ 2 PSI : 20400 LBS
ASSEMBLED FRAME WEIGHT: 1059 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF36-PB4CB120-18



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	19
(2) PB4	9
(1) CB120	18
TOTAL	46





· LOADING @ 2 PSI : 22800 LBS
ASSEMBLED FRAME WEIGHT: 1187 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF40-PB4CB120-20



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	21
(2) PB4	10
(1) CB120	20
TOTAL	51





LOADING @ 2 PSI : 25200 LBS
ASSEMBLED FRAME WEIGHT: 1315 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF44-PB4CB120-22



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	23
(2) PB4	11
(1) CB120	22
TOTAL	56





LOADING @ 2 PSI : 27600 LBS
ASSEMBLED FRAME WEIGHT: 1443 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF48-PB4CB120-24



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	25
(2) PB4	12
(1) CB120	24
TOTAL	61






LOADING @ 2 PSI : 30000 LBS
ASSEMBLED FRAME WEIGHT: 1571 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF10-PB5CB120-4



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	5
(2) PB5	2
(1) CB120	4
TOTAL	11






LOADING @ 2 PSI : 6000 LBS
ASSEMBLED FRAME WEIGHT: 303 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF10-PB5CB120-6



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	6
(2) PB5	2
(1) CB120	6
TOTAL	14






LOADING @ 2 PSI : 7200 LBS
ASSEMBLED FRAME WEIGHT: 337 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF15-PB5CB120-6



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	7
(2) PB5	3
(1) CB120	6
TOTAL	16






LOADING @ 2 PSI : 8400 LBS
ASSEMBLED FRAME WEIGHT: 437 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF15-PB5CB120-9



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	8 + 1S
(2) PB5	3
(1) CB120	9
TOTAL	21






· LOADING @ 2 PSI : 10200 LBS
ASSEMBLED FRAME WEIGHT: 488 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF20-PB5CB120-8



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	9
(2) PB5	4
(1) CB120	8
TOTAL	21





LOADING @ 2 PSI : 10800 LBS
ASSEMBLED FRAME WEIGHT: 571 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF20-PB5CB120-12



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	11
(2) PB5	4
(1) CB120	12
TOTAL	27





LOADING @ 2 PSI : 13200 LBS
ASSEMBLED FRAME WEIGHT: 639 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF25-PB5CB120-10



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	11
(2) PB5	5
(1) CB120	10
TOTAL	26






LOADING @ 2 PSI : 13200 LBS
ASSEMBLED FRAME WEIGHT: 705 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF25-PB5CB120-15



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	13+ 1S
(2) PB5	5
(1) CB120	15
TOTAL	34






· LOADING @ 2 PSI : 16200 LBS
ASSEMBLED FRAME WEIGHT: 790 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF30-PB5CB120-12



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	13
(2) PB5	6
(1) CB120	12
TOTAL	31



LOADING @ 2 PSI : 15600 LBS




ASSEMBLED FRAME WEIGHT: 839 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF30-PB5CB120-18



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	16
(2) PB5	6
(1) CB120	18
TOTAL	40





LOADING @ 2 PSI : 19200 LBS
ASSEMBLED FRAME WEIGHT: 941 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF35-PB5CB120-14



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	15
(2) PB5	7
(1) CB120	14
TOTAL	36





LOADING @ 2 PSI : 18000 LBS
ASSEMBLED FRAME WEIGHT: 973 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF35-PB5CB120-21



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	18 + 1S
(2) PB5	7
(1) CB120	21
TOTAL	47



LOADING @ 2 PSI : 22200 LBS



ASSEMBLED FRAME WEIGHT: 1092 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF40-PB5CB120-16



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	17
(2) PB5	8
(1) CB120	16
TOTAL	41





LOADING @ 2 PSI : 20400 LBS
ASSEMBLED FRAME WEIGHT: 1107 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF40-PB5CB120-24



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	21
(2) PB5	8
(1) CB120	24
TOTAL	53





· LOADING @ 2 PSI : 25200 LBS
ASSEMBLED FRAME WEIGHT: 1243 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF45-PB5CB120-18



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	19
(2) PB5	9
(1) CB120	18
TOTAL	46





LOADING @ 2 PSI : 22800 LBS
ASSEMBLED FRAME WEIGHT: 1241 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF45-PB5CB120-27



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	23 + 1S
(2) PB5	9
(1) CB120	27
TOTAL	60





LOADING @ 2 PSI : 28200 LBS
ASSEMBLED FRAME WEIGHT: 1394 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF50-PB5CB120-20



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	21
(2) PB5	10
(1) CB120	20
TOTAL	51





· LOADING @ 2 PSI : 25200 LBS
ASSEMBLED FRAME WEIGHT: 1375 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF50-PB5CB120-30



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	26
(2) PB5	10
(1) CB120	30
TOTAL	66






LOADING @ 2 PSI : 31200 LBS
ASSEMBLED FRAME WEIGHT: 1545 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF6-PB6CB120-4



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	4
(2) PB6	1
(1) CB120	4
TOTAL	9





· LOADING @ 2 PSI : 4800 LBS
ASSEMBLED FRAME WEIGHT: 174 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF12-PB6CB120-4




COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	5
(2) PB6	2
(1) CB120	4
TOTAL	11



LOADING @ 2 PSI : 6000 LBS
ASSEMBLED FRAME WEIGHT: 315 LBS




This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.



FF12-PB6CB120-6



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	6
(2) PB6	2
(1) CB120	6
TOTAL	14





LOADING @ 2 PSI : 7200 LBS
ASSEMBLED FRAME WEIGHT: 349 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF18-PB6CB120-6



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	7
(2) PB6	3
(1) CB120	6
TOTAL	16






· LOADING @ 2 PSI : 8400 LBS
ASSEMBLED FRAME WEIGHT: 455 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF18-PB6CB120-9



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	8 + 1S
(2) PB6	3
(1) CB120	9
TOTAL	21



LOADING @ 2 PSI : 10200 LBS



ASSEMBLED FRAME WEIGHT: 506 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF24-PB6CB120-8



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	9
(2) PB6	4
(1) CB120	8
TOTAL	21






LOADING @ 2 PSI : 10800 LBS
ASSEMBLED FRAME WEIGHT: 595 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF24-PB6CB120-12



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	11
(2) PB6	4
(1) CB120	12
TOTAL	27






LOADING @ 2 PSI : 13200 LBS
ASSEMBLED FRAME WEIGHT: 663 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF30-PB6CB120-10



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	11
(2) PB6	5
(1) CB120	10
TOTAL	26






LOADING @ 2 PSI : 13200 LBS
ASSEMBLED FRAME WEIGHT: 735 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF30-PB6CB120-15



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	13 + 1S
(2) PB6	5
(1) CB120	15
TOTAL	34





LOADING @ 2 PSI : 16200 LBS
ASSEMBLED FRAME WEIGHT: 820 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF36-PB6CB120-12



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	13
(2) PB6	6
(1) CB120	12
TOTAL	31





LOADING @ 2 PSI : 15600 LBS
ASSEMBLED FRAME WEIGHT: 875 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF36-PB6CB120-18



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	16
(2) PB6	6
(1) CB120	18
TOTAL	40





· LOADING @ 2 PSI : 19200 LBS
ASSEMBLED FRAME WEIGHT: 977 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF42-PB6CB120-14



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	15
(2) PB6	7
(1) CB120	14
TOTAL	36





LOADING @ 2 PSI : 18000 LBS
ASSEMBLED FRAME WEIGHT: 1015 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF42-PB6CB120-21



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	18 + 1S
(2) PB6	7
(1) CB120	21
TOTAL	47





LOADING @ 2 PSI : 22200 LBS
ASSEMBLED FRAME WEIGHT: 1134 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF48-PB6CB120-16



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	17
(2) PB6	8
(1) CB120	16
TOTAL	41





LOADING @ 2 PSI : 20400 LBS
ASSEMBLED FRAME WEIGHT: 1155 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF48-PB6CB120-24



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	21
(2) PB6	8
(1) CB120	24
TOTAL	53





LOADING @ 2 PSI : 25200 LBS
ASSEMBLED FRAME WEIGHT: 1291 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF54-PB6CB120-18



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	19
(2) PB6	9
(1) CB120	18
TOTAL	46





· LOADING @ 2 PSI : 22800 LBS
ASSEMBLED FRAME WEIGHT: 1295 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF54-PB6CB120-27



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	23 + 1S
(2) PB6	9
(1) CB120	27
TOTAL	60



LOADING @ 2 PSI : 28200 LBS
ASSEMBLED FRAME WEIGHT: 1448 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.