



FF8-PB4CB144-4



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	5
(2) PB4	2
(1) CB144	4
TOTAL	11






· LOADING @ 2 PSI : 6000 LBS
ASSEMBLED FRAME WEIGHT: 303 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF12-PB4CB144-6



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	7
(2) PB4	3
(1) CB144	6
TOTAL	16





· LOADING @ 2 PSI : 8400 LBS
ASSEMBLED FRAME WEIGHT: 437 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF16-PB4CB144-8



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	9
(2) PB4	4
(1) CB144	8
TOTAL	21






· LOADING @ 2 PSI : 10800 LBS
ASSEMBLED FRAME WEIGHT: 571 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF20-PB4CB144-10



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	11
(2) PB4	5
(1) CB144	10
TOTAL	26



LOADING @ 2 PSI : 13200 LBS




ASSEMBLED FRAME WEIGHT: 705 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF24-PB4CB144-12



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	13
(2) PB4	6
(1) CB144	12
TOTAL	31





LOADING @ 2 PSI : 15600 LBS
ASSEMBLED FRAME WEIGHT: 839 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF28-PB4CB144-14



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	15
(2) PB4	7
(1) CB144	14
TOTAL	36





LOADING @ 2 PSI : 18000 LBS
ASSEMBLED FRAME WEIGHT: 973 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF32-PB4CB144-16



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	17
(2) PB4	8
(1) CB144	16
TOTAL	41





LOADING @ 2 PSI : 20400 LBS
ASSEMBLED FRAME WEIGHT: 1107 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF36-PB4CB144-18



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	19
(2) PB4	9
(1) CB144	18
TOTAL	46





· LOADING @ 2 PSI : 22800 LBS
ASSEMBLED FRAME WEIGHT: 1241 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF40-PB4CB144-20



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	21
(2) PB4	10
(1) CB144	20
TOTAL	51





LOADING @ 2 PSI : 25200 LBS
ASSEMBLED FRAME WEIGHT: 1375 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF44-PB4CB144-22



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	23
(2) PB4	11
(1) CB144	22
TOTAL	56





· LOADING @ 2 PSI : 27600 LBS
ASSEMBLED FRAME WEIGHT: 1509 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF48-PB4CB144-24



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	25
(2) PB4	12
(1) CB144	24
TOTAL	61





LOADING @ 2 PSI : 30000 LBS
ASSEMBLED FRAME WEIGHT: 1643 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF10-PB5CB144-4



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	5
(2) PB5	2
(1) CB144	4
TOTAL	11






LOADING @ 2 PSI : 6000 LBS
ASSEMBLED FRAME WEIGHT: 315 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF10-PB5CB144-6



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	6
(2) PB5	2
(1) CB144	6
TOTAL	14






LOADING @ 2 PSI : 7200 LBS
ASSEMBLED FRAME WEIGHT: 355 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF15-PB5CB144-6



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	7
(2) PB5	3
(1) CB144	6
TOTAL	16






LOADING @ 2 PSI : 8400 LBS
ASSEMBLED FRAME WEIGHT: 455 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF15-PB5CB144-9



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	8 + 1S
(2) PB5	3
(1) CB144	9
TOTAL	21






LOADING @ 2 PSI : 10200 LBS
ASSEMBLED FRAME WEIGHT: 515 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF20-PB5CB144-8



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	9
(2) PB5	4
(1) CB144	8
TOTAL	21






LOADING @ 2 PSI : 10800 LBS
ASSEMBLED FRAME WEIGHT: 595 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF20-PB5CB144-12



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	11
(2) PB5	4
(1) CB144	12
TOTAL	27





LOADING @ 2 PSI : 13200 LBS
ASSEMBLED FRAME WEIGHT: 675 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF25-PB5CB144-10



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	11
(2) PB5	5
(1) CB144	10
TOTAL	26






· LOADING @ 2 PSI : 13200 LBS
ASSEMBLED FRAME WEIGHT: 735 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF25-PB5CB144-15



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	13 + 1S
(2) PB5	5
(1) CB144	15
TOTAL	34



LOADING @ 2 PSI : 16200 LBS



ASSEMBLED FRAME WEIGHT: 835 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF30-PB5CB144-12



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	13
(2) PB5	6
(1) CB144	12
TOTAL	31





LOADING @ 2 PSI : 15600 LBS
ASSEMBLED FRAME WEIGHT: 875 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF30-PB5CB144-18



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	16
(2) PB5	6
(1) CB144	18
TOTAL	40





LOADING @ 2 PSI : 19200 LBS
ASSEMBLED FRAME WEIGHT: 995 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF35-PB5CB144-14



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	15
(2) PB5	7
(1) CB144	14
TOTAL	36





LOADING @ 2 PSI : 18000 LBS
ASSEMBLED FRAME WEIGHT: 1015 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF35-PB5CB144-21



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	18 + 1S
(2) PB5	7
(1) CB144	21
TOTAL	47





LOADING @ 2 PSI : 22200 LBS
ASSEMBLED FRAME WEIGHT: 1155 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF40-PB5CB144-16



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	17
(2) PB5	8
(1) CB144	16
TOTAL	41





LOADING @ 2 PSI : 20400 LBS
ASSEMBLED FRAME WEIGHT: 1155 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF40-PB5CB144-24



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	21
(2) PB5	8
(1) CB144	24
TOTAL	53





· LOADING @ 2 PSI : 25200 LBS
ASSEMBLED FRAME WEIGHT: 1315 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF45-PB5CB144-18



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	19
(2) PB5	9
(1) CB144	18
TOTAL	46





LOADING @ 2 PSI : 22800 LBS
ASSEMBLED FRAME WEIGHT: 1295 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF45-PB5CB144-27



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	23 + 1S
(2) PB5	9
(1) CB144	27
TOTAL	60





· LOADING @ 2 PSI : 28200 LBS
ASSEMBLED FRAME WEIGHT: 1475 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF50-PB5CB144-20



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	21
(2) PB5	10
(1) CB144	20
TOTAL	51





LOADING @ 2 PSI : 25200 LBS
ASSEMBLED FRAME WEIGHT: 1435 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF50-PB5CB144-30



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	26
(2) PB5	10
(1) CB144	30
TOTAL	66






LOADING @ 2 PSI : 31200 LBS
ASSEMBLED FRAME WEIGHT: 1635 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF6-PB6CB144-4



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	4
(2) PB6	1
(1) CB144	4
TOTAL	9





LOADING @ 2 PSI : 4800 LBS
ASSEMBLED FRAME WEIGHT: 221 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF12-PB6CB144-4



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	5
(2) PB6	2
(1) CB144	4
TOTAL	11






LOADING @ 2 PSI : 6000 LBS
ASSEMBLED FRAME WEIGHT: 327 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF12-PB6CB144-6



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	6
(2) PB6	2
(1) CB144	6
TOTAL	14





LOADING @ 2 PSI : 7200 LBS
ASSEMBLED FRAME WEIGHT: 367 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF18-PB6CB144-6



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	7
(2) PB6	3
(1) CB144	6
TOTAL	16






LOADING @ 2 PSI : 8400 LBS
ASSEMBLED FRAME WEIGHT: 473 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF18-PB6CB144-9



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	8 + 1S
(2) PB6	3
(1) CB144	9
TOTAL	21






· LOADING @ 2 PSI : 10200 LBS
ASSEMBLED FRAME WEIGHT: 533 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF24-PB6CB144-8



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	9
(2) PB6	4
(1) CB144	8
TOTAL	21






LOADING @ 2 PSI : 10800 LBS
ASSEMBLED FRAME WEIGHT: 619 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF24-PB6CB144-12



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	11
(2) PB6	4
(1) CB144	12
TOTAL	27





LOADING @ 2 PSI : 13200 LBS
ASSEMBLED FRAME WEIGHT: 699 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF30-PB6CB144-10



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	11
(2) PB6	5
(1) CB144	10
TOTAL	26





· LOADING @ 2 PSI : 13200 LBS
ASSEMBLED FRAME WEIGHT: 765 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF30-PB6CB144-15



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	13 + 1S
(2) PB6	5
(1) CB144	15
TOTAL	34





LOADING @ 2 PSI : 16200 LBS
ASSEMBLED FRAME WEIGHT: 865 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF36-PB6CB144-12



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	13
(2) PB6	6
(1) CB144	12
TOTAL	31





· LOADING @ 2 PSI : 15600 LBS
ASSEMBLED FRAME WEIGHT: 911 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF36-PB6CB144-18



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	16
(2) PB6	6
(1) CB144	18
TOTAL	40





LOADING @ 2 PSI : 19200 LBS
ASSEMBLED FRAME WEIGHT: 1031 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF42-PB6CB144-14



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	15
(2) PB6	7
(1) CB144	14
TOTAL	36





· LOADING @ 2 PSI : 18000 LBS
ASSEMBLED FRAME WEIGHT: 1057 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF42-PB6CB144-21



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	18 + 1S
(2) PB6	7
(1) CB144	21
TOTAL	47





LOADING @ 2 PSI : 22200 LBS
ASSEMBLED FRAME WEIGHT: 1197 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF48-PB6CB144-16



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	17
(2) PB6	8
(1) CB144	16
TOTAL	41





LOADING @ 2 PSI : 20400 LBS
ASSEMBLED FRAME WEIGHT: 1203 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF48-PB6CB144-24



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	21
(2) PB6	8
(1) CB144	24
TOTAL	53





LOADING @ 2 PSI : 25200 LBS
ASSEMBLED FRAME WEIGHT: 1363 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF54-PB6CB144-18



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	19
(2) PB6	9
(1) CB144	18
TOTAL	46





LOADING @ 2 PSI : 22800 LBS
ASSEMBLED FRAME WEIGHT: 1349 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF54-PB6CB144-27



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	23 + 1S
(2) PB6	9
(1) CB144	27
TOTAL	60



· LOADING @ 2 PSI : 28200 LBS
ASSEMBLED FRAME WEIGHT: 1529 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.