




FF8-PB4CB96-4



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	5
(2) PB4	2
(1) CB96	4
TOTAL	11






· LOADING @ 2 PSI : 6000 LBS
ASSEMBLED FRAME WEIGHT: 279 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF12-PB4CB96-6



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	7
(2) PB4	3
(1) CB96	6
TOTAL	16






LOADING @ 2 PSI : 8400 LBS
ASSEMBLED FRAME WEIGHT: 401 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF16-PB4CB96-8



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	9
(2) PB4	4
(1) CB96	8
TOTAL	21






LOADING @ 2 PSI : 10800 LBS
ASSEMBLED FRAME WEIGHT: 523 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF20-PB4CB96-10



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	11
(2) PB4	5
(1) CB96	10
TOTAL	26






· LOADING @ 2 PSI : 13200 LBS
ASSEMBLED FRAME WEIGHT: 645 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF24-PB4CB96-12



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	13
(2) PB4	6
(1) CB96	12
TOTAL	31






· LOADING @ 2 PSI : 15600 LBS
ASSEMBLED FRAME WEIGHT: 767 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF28-PB4CB96-14



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	15
(2) PB4	7
(1) CB96	14
TOTAL	36





LOADING @ 2 PSI : 18000 LBS
ASSEMBLED FRAME WEIGHT: 889 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.


FF32-PB4CB96-16



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	17
(2) PB4	8
(1) CB96	16
TOTAL	41



18" MIN ... 24" MAX



LOADING @ 2 PSI : 20400 LBS




ASSEMBLED FRAME WEIGHT: 1011 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF36-PB4CB96-18



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	19
(2) PB4	9
(1) CB96	18
TOTAL	46





LOADING @ 2 PSI : 22800 LBS
ASSEMBLED FRAME WEIGHT: 1133 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF40-PB4CB96-20



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	21
(2) PB4	10
(1) CB96	20
TOTAL	51





LOADING @ 2 PSI : 25200 LBS
ASSEMBLED FRAME WEIGHT: 1255 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF44-PB4CB96-22



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	23
(2) PB4	11
(1) CB96	22
TOTAL	56





LOADING @ 2 PSI : 27600 LBS
ASSEMBLED FRAME WEIGHT: 1377 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF48-PB4CB96-24



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	25
(2) PB4	12
(1) CB96	24
TOTAL	61






LOADING @ 2 PSI : 30000 LBS
ASSEMBLED FRAME WEIGHT: 1499 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF10-PB5CB96-4



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	5
(2) PB5	2
(1) CB96	4
TOTAL	11






LOADING @ 2 PSI : 6000 LBS
ASSEMBLED FRAME WEIGHT: 291 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF10-PB5CB96-6



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	6
(2) PB5	2
(1) CB96	6
TOTAL	14






· LOADING @ 2 PSI : 7200 LBS
ASSEMBLED FRAME WEIGHT: 319 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF15-PB5CB96-6



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	7
(2) PB5	3
(1) CB96	6
TOTAL	16



LOADING @ 2 PSI : 8400 LBS




ASSEMBLED FRAME WEIGHT: 419 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF15-PB5CB96-9



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	8 + 1S
(2) PB5	3
(1) CB96	9
TOTAL	21



LOADING @ 2 PSI : 10200 LBS




ASSEMBLED FRAME WEIGHT: 461 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF20-PB5CB96-8



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	9
(2) PB5	4
(1) CB96	8
TOTAL	21






· LOADING @ 2 PSI : 10800 LBS
ASSEMBLED FRAME WEIGHT: 547 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF20-PB5CB96-12



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	11
(2) PB5	4
(1) CB96	12
TOTAL	27





LOADING @ 2 PSI : 13200 LBS
ASSEMBLED FRAME WEIGHT: 603 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF25-PB5CB96-10



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	11
(2) PB5	5
(1) CB96	10
TOTAL	26





LOADING @ 2 PSI : 13200 LBS
ASSEMBLED FRAME WEIGHT: 675 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF25-PB5CB96-15



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	13 + 1S
(2) PB5	5
(1) CB96	15
TOTAL	34






LOADING @ 2 PSI : 16200 LBS
ASSEMBLED FRAME WEIGHT: 745 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF30-PB5CB96-12



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	13
(2) PB5	6
(1) CB96	12
TOTAL	31






· LOADING @ 2 PSI : 15600 LBS
ASSEMBLED FRAME WEIGHT: 803 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF30-PB5CB96-18



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	16
(2) PB5	6
(1) CB96	18
TOTAL	40



LOADING @ 2 PSI : 19200 LBS



ASSEMBLED FRAME WEIGHT: 887 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.


FF35-PB5CB96-14



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	15
(2) PB5	7
(1) CB96	14
TOTAL	36



18" MIN ... 24" MAX





LOADING @ 2 PSI : 18000 LBS
ASSEMBLED FRAME WEIGHT: 931 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF35-PB5CB96-21



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	18 + 1S
(2) PB5	7
(1) CB96	21
TOTAL	47





LOADING @ 2 PSI : 22200 LBS
ASSEMBLED FRAME WEIGHT: 1029 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF40-PB5CB96-16



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	17
(2) PB5	8
(1) CB96	16
TOTAL	41





LOADING @ 2 PSI : 20400 LBS
ASSEMBLED FRAME WEIGHT: 1059 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF40-PB5CB96-24



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	21
(2) PB5	8
(1) CB96	24
TOTAL	53





· LOADING @ 2 PSI : 25200 LBS
ASSEMBLED FRAME WEIGHT: 1171 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF45-PB5CB96-18



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	19
(2) PB5	9
(1) CB96	18
TOTAL	46



18" MIN ... 24" MAX





LOADING @ 2 PSI : 22800 LBS
ASSEMBLED FRAME WEIGHT: 1187 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF45-PB5CB96-27



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	23 + 1S
(2) PB5	9
(1) CB96	27
TOTAL	60





· LOADING @ 2 PSI : 28200 LBS
ASSEMBLED FRAME WEIGHT: 1313 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF50-PB5CB96-20



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	21
(2) PB5	10
(1) CB96	20
TOTAL	51





· LOADING @ 2 PSI : 25200 LBS
ASSEMBLED FRAME WEIGHT: 1315 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF50-PB5CB96-30



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	26
(2) PB5	10
(1) CB96	30
TOTAL	66






LOADING @ 2 PSI : 31200 LBS
ASSEMBLED FRAME WEIGHT: 1455 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF6-PB6CB96-4



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	4
(2) PB6	1
(1) CB96	4
TOTAL	9






LOADING @ 2 PSI : 4800 LBS
ASSEMBLED FRAME WEIGHT: 197 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF12-PB6CB96-4



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	5
(2) PB6	2
(1) CB96	4
TOTAL	11






LOADING @ 2 PSI : 6000 LBS
ASSEMBLED FRAME WEIGHT: 303 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF12-PB6CB96-6



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	6
(2) PB6	2
(1) CB96	6
TOTAL	14






· LOADING @ 2 PSI : 7200 LBS
ASSEMBLED FRAME WEIGHT: 331 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF18-PB6CB96-6



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	7
(2) PB6	3
(1) CB96	6
TOTAL	16






LOADING @ 2 PSI : 8400 LBS
ASSEMBLED FRAME WEIGHT: 437 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF18-PB6CB96-9



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	8 + 1S
(2) PB6	3
(1) CB96	9
TOTAL	21





· LOADING @ 2 PSI : 10200 LBS
ASSEMBLED FRAME WEIGHT: 479 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF24-PB6CB96-8



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	9
(2) PB6	4
(1) CB96	8
TOTAL	21






LOADING @ 2 PSI : 10800 LBS
ASSEMBLED FRAME WEIGHT: 571 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF24-PB6CB96-12



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	11
(2) PB6	4
(1) CB96	12
TOTAL	27






· LOADING @ 2 PSI : 13200 LBS
ASSEMBLED FRAME WEIGHT: 627 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF30-PB6CB96-10



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	11
(2) PB6	5
(1) CB96	10
TOTAL	26






LOADING @ 2 PSI : 13200 LBS
ASSEMBLED FRAME WEIGHT: 705 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF30-PB6CB96-15



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	13 + 1S
(2) PB6	5
(1) CB96	15
TOTAL	34



LOADING @ 2 PSI : 16200 LBS



ASSEMBLED FRAME WEIGHT: 775 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF36-PB6CB96-12



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	13
(2) PB6	6
(1) CB96	12
TOTAL	31





· LOADING @ 2 PSI : 15600 LBS
ASSEMBLED FRAME WEIGHT: 839 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF36-PB6CB96-18



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	16
(2) PB6	6
(1) CB96	18
TOTAL	40





· LOADING @ 2 PSI : 19200 LBS
ASSEMBLED FRAME WEIGHT: 923 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF42-PB6CB96-14



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	15
(2) PB6	7
(1) CB96	14
TOTAL	36





LOADING @ 2 PSI : 18000 LBS
ASSEMBLED FRAME WEIGHT: 973 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF42-PB6CB96-21



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	18 + 1S
(2) PB6	7
(1) CB96	21
TOTAL	47





· LOADING @ 2 PSI : 22200 LBS
ASSEMBLED FRAME WEIGHT: 1071 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF48-PB6CB96-16



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	17
(2) PB6	8
(1) CB96	16
TOTAL	41





LOADING @ 2 PSI : 20400 LBS
ASSEMBLED FRAME WEIGHT: 1107 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF48-PB6CB96-24



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	21
(2) PB6	8
(1) CB96	24
TOTAL	53





LOADING @ 2 PSI : 25200 LBS
ASSEMBLED FRAME WEIGHT: 1219 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF54-PB6CB96-18



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	19
(2) PB6	9
(1) CB96	18
TOTAL	46





· LOADING @ 2 PSI : 22800 LBS
ASSEMBLED FRAME WEIGHT: 1241 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.

FF54-PB6CB96-27



COMPONENTS (BOXED COUNT)	
LA-175 (18-24)	23 + 1S
(2) PB6	9
(1) CB96	27
TOTAL	60



· LOADING @ 2 PSI : 28200 LBS
ASSEMBLED FRAME WEIGHT: 1367 LBS

This sheet is intended to highlight EcoFoot's products and specifications. Information is subject to change without notice. EcoFoot takes responsibility for providing quality materials that meet published product specification. However, neither EcoFoot nor its representatives practice architecture or engineering. Therefore, EcoFoot offers no opinion on, and expressly disclaims any responsibility for the soundness of any building or structure on which its products may be applied. If questions arise regarding the soundness of structure, building envelope, or its ability to support planned installation, the Owner should consult relevant professionals before proceeding. EcoFoot accepts no liability for any structural or building envelope failure or resultant damages, and no EcoFoot representative is authorized to vary this disclaimer.